

WAVE FOLD - ONE WAY 80%

NOTE: This is an approximate guide only. Includes 250mm Hems. See below for wall returns.

Track Length mm	Number of Carriers	Approximate Tape Length (mm) NOT Including Wall Return Or Hems
	4	1 x 626
	6	1 x 814
320	8	1 x 1002
430	10	1 x 1190
530	12	1 x 1378
630	14	1 x 1566
740	16	1 x 1754
850	18	1 x 1954
960	20	1 x 2130
1070	22	1 x 2318
1180	24	1 x 2506
1290	26	1 x 2694
1400	28	1 x 2882
1510	30	1 x 3070
1620	32	1 x 3258
1730	34	1 x 3446
1840	36	1 x 3634
1940	38	1 x 3822
2050	40	1 x 4010
2160	42	1 x 4198
2270	44	1 x 4386
2380	46	1 x 4574
2490	48	1 x 4762
2600	50	1 x 4950
2710	52	1 x 5138
2820	54	1 x 5326
2930	56	1 x 5514
3030	58	1 x 5702

Track Length mm	Number of Carriers	Approximate Tape Length (mm) NOT Including Wall Return Or Hems
3150	60	1 x 5890
3260	62	1 x 6078
3360	64	1 x 6266
3480	66	1 x 6454
3580	68	1 x 6642
3690	70	1 x 6830
3800	72	1 x 7018
3910	74	1 x 7206
4020	76	1 x 7394
4130	78	1 x 7582
4230	80	1 x 7770
4340	82	1 x 7958
4450	84	1 x 8146
4560	86	1 x 8334
4680	88	1 x 8522
4790	90	1 x 8710
4900	92	1 x 8898
5000	94	1 x 9086
5110	96	1 x 9274
5220	98	1 x 9462
5330	100	1 x 9650
5440	102	1 x 9838
5530	104	1 x 10026
5660	106	1 x 10214
5770	108	1 x 10402
5880	110	1 x 10590
6000	112	1 x 10778

It is the responsibility of retailers to communicate with workrooms in regards to distances on returns to the wall. AWS will supply 1x extra hook space for single returns and 2x extra hook spacings for double returns. AWS will not be responsible for manufacturing errors which occur due to incorrect tape sizes. Please take care to double check all tape lengths before manufacturing.

WAVE FOLD - CENTRE OPEN 80%

NOTE: This is an approximate guide only. Includes 250mm Hems. See below for wall returns.

Track Length mm	Number of Carriers	Approximate Tape Length (mm) NOT Including Wall Return Or Hems
510	2 x 6	2 x 814
730	2 x 8	2 x 1007
940	2 x 10	2 x 1190
1150	2 x 12	2 x 1378
1350	2 x 14	2 x 1566
1570	2 x 16	2 x 1754
1790	2 x 18	2 x 1942
2010	2 x 20	2 x 2130
2230	2 x 22	2 x 2318
2450	2 x 24	2 x 2506
2670	2 x 26	2 x 2694
2890	2 x 28	2 x 2882
3130	2 x 30	2 x 3070
3330	2 x 32	2 x 3258
3550	2 x 34	2 x 3446
3770	2 x 36	2 x 3634
3970	2 x 38	2 x 3822
4190	2 x 40	2 x 4010
4410	2 x 42	2 x 4198
4630	2 x 44	2 x 4386
4850	2 x 46	2 x 4574
5070	2 x 48	2 x 4762
5290	2 x 50	2 x 4950
5510	2 x 52	2 x 5138
5730	2 x 54	2 x 5326
5950	2 x 56	2 x 5514
6150	2 x 58	2 x 5702

Track Length mm	Number of Carriers	Approximate Tape Length (mm) NOT Including Wall Return Or Hems
6390	2 x 60	2 x 5890
6610	2 x 62	2 x 6078
6810	2 x 64	2 x 6266
7050	2 x 66	2 x 6454
7250	2 x 68	2 x 6642
7470	2 x 70	2 x 6830
7690	2 x 72	2 x 7018
7910	2 x 74	2 x 7206
8130	2 x 76	2 x 7394
8350	2 x 78	2 x 7582
8550	2 x 80	2 x 7770
8770	2 x 82	2 x 7958
8990	2 x 84	2 x 8146
9210	2 x 86	2 x 8334
9450	2 x 88	2 x 8522
9670	2 x 90	2 x 8710
9890	2 x 92	2 x 8898
10090	2 x 94	2 x 9086
10310	2 x 96	2 x 9274
10530	2 x 98	2 x 9462
10750	2 x 100	2 x 9650
10970	2 x 102	2 x 9838
11150	2 x 104	2 x 10026
11410	2 x 106	2 x 10214
11630	2 x 108	2 x 10402
11790	2 x 110	2 x 10590
12090	2 x 112	2 x 10778

It is the responsibility of retailers to communicate with workrooms in regards to distances on returns to the wall. AWS will supply 1x extra hook space for single returns and 2x extra hook spacings for double returns. AWS will not be responsible for manufacturing errors which occur due to incorrect tape sizes. Please take care to double check all tape lengths before manufacturing.

WAVE FOLD - ONE WAY 100%

NOTE: This is an approximate guide only. Includes 250mm Hems. See below for wall returns.

Track Length mm	Number of Carriers	Approximate Tape Length (mm) NOT Including Wall Return Or Hems
	4	1 x 682
	6	1 x 898
320	8	1 x 1114
430	10	1 x 1330
530	12	1 x 1546
630	14	1 x 1762
740	16	1 x 1978
850	18	1 x 2194
960	20	1 x 2410
1070	22	1 x 2626
1180	24	1 x 2842
1290	26	1 x 3058
1400	28	1 x 3274
1510	30	1 x 3490
1620	32	1 x 3706
1730	34	1 x 3922
1840	36	1 x 4138
1940	38	1 x 4354
2050	40	1 x 4570
2160	42	1 x 4786
2270	44	1 x 5002
2380	46	1 x 5218
2490	48	1 x 5434
2600	50	1 x 5650
2710	52	1 x 5866
2820	54	1 x 6082
2930	56	1 x 6298
3030	58	1 x 6514

Track Length mm	Number of Carriers	Approximate Tape Length (mm) NOT Including Wall Return Or Hems
3150	60	1 x 6730
3260	62	1 x 6946
3360	64	1 x 7162
3480	66	1 x 7378
3580	68	1 x 7594
3690	70	1 x 7810
3800	72	1 x 8026
3910	74	1 x 8242
4020	76	1 x 8458
4130	78	1 x 8674
4230	80	1 x 8890
4340	82	1 x 9106
4450	84	1 x 9322
4560	86	1 x 9538
4680	88	1 x 9754
4790	90	1 x 9970
4900	92	1 x 10186
5000	94	1 x 10402
5110	96	1 x 10618
5220	98	1 x 10834
5330	100	1 x 11050
5440	102	1 x 11266
5530	104	1 x 11482
5660	106	1 x 11698
5770	108	1 x 11914
5880	110	1 x 12130
6000	112	1 x 12346

It is the responsibility of retailers to communicate with workrooms in regards to distances on returns to the wall. AWS will supply 1x extra hook space for single returns and 2x extra hook spacings for double returns. AWS will not be responsible for manufacturing errors which occur due to incorrect tape sizes. Please take care to double check all tape lengths before manufacturing.

WAVE FOLD - CENTRE OPEN 100%

NOTE: This is an approximate guide only. Includes 250mm Hems. See below for wall returns.

Track Length mm	Number of Carriers	Approximate Tape Length (mm) NOT Including Wall Return Or Hems
510	2 x 6	2 x 898
730	2 x 8	2 x 1114
940	2 x 10	2 x 1330
1150	2 x 12	2 x 1546
1350	2 x 14	2 x 1762
1570	2 x 16	2 x 1978
1790	2 x 18	2 x 2194
2010	2 x 20	2 x 2410
2230	2 x 22	2 x 2626
2450	2 x 24	2 x 2842
2670	2 x 26	2 x 3058
2890	2 x 28	2 x 3274
3130	2 x 30	2 x 3490
3330	2 x 32	2 x 3706
3550	2 x 34	2 x 3922
3770	2 x 36	2 x 4138
3970	2 x 38	2 x 4354
4190	2 x 40	2 x 4486
4410	2 x 42	2 x 4570
4630	2 x 44	2 x 5002
4850	2 x 46	2 x 5218
5070	2 x 48	2 x 5434
5290	2 x 50	2 x 5650
5510	2 x 52	2 x 5866
5730	2 x 54	2 x 6082
5950	2 x 56	2 x 6298
6150	2 x 58	2 x 6514

Track Length mm	Number of Carriers	Approximate Tape Length (mm) NOT Including Wall Return Or Hems
6390	2 x 60	2 x 6730
6610	2 x 62	2 x 6946
6810	2 x 64	2 x 7162
7050	2 x 66	2 x 7378
7250	2 x 68	2 x 7594
7470	2 x 70	2 x 7810
7690	2 x 72	2 x 8026
7910	2 x 74	2 x 8242
8130	2 x 76	2 x 8458
8350	2 x 78	2 x 8674
8550	2 x 80	2 x 8890
8770	2 x 82	2 x 9106
8990	2 x 84	2 x 9322
9210	2 x 86	2 x 9538
9450	2 x 88	2 x 9754
9670	2 x 90	2 x 9970
9890	2 x 92	2 x 10186
10090	2 x 94	2 x 10402
10310	2 x 96	2 x 10618
10530	2 x 98	2 x 10834
10750	2 x 100	2 x 11050
10970	2 x 102	2 x 11266
11150	2 x 104	2 x 11482
11410	2 x 106	2 x 11698
11630	2 x 108	2 x 11914
11790	2 x 110	2 x 12130
12090	2 x 112	2 x 12346

It is the responsibility of retailers to communicate with workrooms in regards to distances on returns to the wall. AWS will supply 1x extra hook space for single returns and 2x extra hook spacings for double returns. AWS will not be responsible for manufacturing errors which occur due to incorrect tape sizes. Please take care to double check all tape lengths before manufacturing.

WAVE FOLD - ONE WAY 120%

NOTE: This is an approximate guide only. Includes 250mm Hems. See below for wall returns.

Track Length mm	Number of Carriers	Approximate Tape Length (mm) NOT Including Wall Return Or Hems
	4	1 x 714
	6	1 x 946
320	8	1 x 1178
430	10	1 x 1410
530	12	1 x 1642
630	14	1 x 1874
740	16	1 x 2106
850	18	1 x 2338
960	20	1 x 2570
1070	22	1 x 2802
1180	24	1 x 3034
1290	26	1 x 3266
1400	28	1 x 3498
1510	30	1 x 3730
1620	32	1 x 3962
1730	34	1 x 4194
1840	36	1 x 4426
1940	38	1 x 4658
2050	40	1 x 4890
2160	42	1 x 5122
2270	44	1 x 5354
2380	46	1 x 5586
2490	48	1 x 5818
2600	50	1 x 6050
2710	52	1 x 6282
2820	54	1 x 6514
2930	56	1 x 6746
3030	58	1 x 6978

Track Length mm	Number of Carriers	Approximate Tape Length (mm) NOT Including Wall Return Or Hems
3150	60	1 x 7210
3260	62	1 x 7442
3360	64	1 x 7674
3480	66	1 x 7906
3580	68	1 x 8138
3690	70	1 x 8370
3800	72	1 x 8602
3910	74	1 x 8834
4020	76	1 x 9066
4130	78	1 x 9298
4230	80	1 x 9530
4340	82	1 x 9762
4450	84	1 x 9994
4560	86	1 x 10226
4680	88	1 x 10458
4790	90	1 x 10690
4900	92	1 x 10922
5000	94	1 x 11154
5110	96	1 x 11386
5220	98	1 x 11618
5330	100	1 x 11850
5440	102	1 x 12082
5530	104	1 x 12314
5660	106	1 x 12546
5770	108	1 x 12778
5880	110	1 x 13010
6000	112	1 x 13242

It is the responsibility of retailers to communicate with workrooms in regards to distances on returns to the wall. AWS will supply 1x extra hook space for single returns and 2x extra hook spacings for double returns. AWS will not be responsible for manufacturing errors which occur due to incorrect tape sizes. Please take care to double check all tape lengths before manufacturing.

WAVE FOLD - CENTRE OPEN 120%

NOTE: This is an approximate guide only. Includes 250mm Hems. See below for wall returns.

Track Length mm	Number of Carriers	Approximate Tape Length (mm) NOT Including Wall Return Or Hems
510	2 x 6	2 x 946
730	2 x 8	2 x 1178
940	2 x 10	2 x 1410
1150	2 x 12	2 x 1642
1350	2 x 14	2 x 1874
1570	2 x 16	2 x 2106
1790	2 x 18	2 x 2338
2010	2 x 20	2 x 2570
2230	2 x 22	2 x 2802
2450	2 x 24	2 x 3034
2670	2 x 26	2 x 3266
2890	2 x 28	2 x 3498
3130	2 x 30	2 x 3730
3330	2 x 32	2 x 3962
3550	2 x 34	2 x 4194
3770	2 x 36	2 x 4426
3970	2 x 38	2 x 4658
4190	2 x 40	2 x 4890
4410	2 x 42	2 x 5122
4630	2 x 44	2 x 5354
4850	2 x 46	2 x 5586
5070	2 x 48	2 x 5818
5290	2 x 50	2 x 6050
5510	2 x 52	2 x 6282
5730	2 x 54	2 x 6514
5950	2 x 56	2 x 6746
6150	2 x 58	2 x 6978

Track Length mm	Number of Carriers	Approximate Tape Length (mm) NOT Including Wall Return Or Hems
6390	2 x 60	2 x 7210
6610	2 x 62	2 x 7442
6810	2 x 64	2 x 7674
7050	2 x 66	2 x 7906
7250	2 x 68	2 x 8138
7470	2 x 70	2 x 8370
7690	2 x 72	2 x 8602
7910	2 x 74	2 x 8834
8130	2 x 76	2 x 9066
8350	2 x 78	2 x 9298
8550	2 x 80	2 x 9530
8770	2 x 82	2 x 9762
8990	2 x 84	2 x 9994
9210	2 x 86	2 x 10226
9450	2 x 88	2 x 10458
9670	2 x 90	2 x 10690
9890	2 x 92	2 x 10922
10090	2 x 94	2 x 11154
10310	2 x 96	2 x 11386
10530	2 x 98	2 x 11618
10750	2 x 100	2 x 11850
10970	2 x 102	2 x 12082
11150	2 x 104	2 x 12314
11410	2 x 106	2 x 12546
11630	2 x 108	2 x 12778
11790	2 x 110	2 x 13010
12090	2 x 112	2 x 13242

It is the responsibility of retailers to communicate with workrooms in regards to distances on returns to the wall. AWS will supply 1x extra hook space for single returns and 2x extra hook spacings for double returns. AWS will not be responsible for manufacturing errors which occur due to incorrect tape sizes. Please take care to double check all tape lengths before manufacturing.